



High Protection | Best Comfort | Great Value |



CATALOGUE 2023 0

www.venusohs.com

Comfort & Fit

Wherever you are...

ABOUT US

VENUS Safety & Health Pvt. Ltd. is a global quality manufacturer of Personal Protective Equipment (PPE) and filtration products.

Venus has grown manifold in volume and revenues since its inception in the year 1986.

A continuous urge to improve the performance of existing products and the development of new products is a driving force for our experienced team of professionals. The combination of various distinctive attributes of Venus has helped it to stay ahead in the competitive industry and provide 100% Made in India quality products to the people of the nation since 1986. We are the manufacturer of Neck-up Personal Protective Equipment (PPE) and many other health and safety related products.

We have 6 manufacturing facilities in India with a workforce of 2000+, which enables us to provide the best quality products to India with a licensed certification of ISO 9001:2015.

We have 10+ ISI licensed certified products, 50+ CE products, and 25+ NIOSH products. Venus has been exporting for the last 15 years to 35+ countries and has offices in the USA, EU, and UAE with 50% exports.

We primarily operate in 3 segments:

● Industrial Safety (IS) Division

For over 30 years, we have been a specialist in industrial neck-up PPE, with over 150 channel partners across India, mainly with large customer segments viz. Railways, Cement, Agro, Ceramics, Construction, Tyre manufacturing, Food & Beverages, Heavy Engineering, Mining, Pharmaceuticals, etc.

● Medical and Health Division


Supplier of N95 respirators for the State Government Medical Services during the COVID-19 pandemic and GOI. We have established a network of 100+ distributors across PAN India and launched the New Venus PAPR, which will be the first ISI-approved PAPR manufactured in India for surgeon. Moreover we have launched our new range of surgical drapes and gowns:

● Air Filtration

Venus started manufacturing of Filters for HVAC systems in 2023 and has a variety of products to offer. These filters are being used by customers in applications like Surface finishing technology, Clean rooms, Turbo machinery, Nuclear application, Precision manufacturing etc.



PRODUCT RANGE




Respiratory Protective
Devices (RPD)



Noise Protective
Devices (NPD)



Eye Protective
Devices (EPD)



Head Protective
Devices (HPD)



Spill Protective
Devices (SPD)



High protection & Best comfort.

- Full foam seal for leak-proof comfortable fit
- Adjustable nose clip to provides leak-proof fit
- Variety of strap types and attachments
- *Available with Carbon filter mask for nuisance level organic vapor relief.




IS:9473

 CM/L-0007143057

VENUS V-90-V

Convex Mesh - Cup style
 Protection: Solid Dust / Oil Mist
 M.U.L: Upto 12 x OEL
 Half foam seal
 Net reinforced shell




IS:9473

 CM/L-0007143057

VENUS V-20-V

Convex - Cup style
 Protection: Solid Dust / Oil Mist
 M.U.L: Upto 12 x OEL
 Exhalation Vent Valve | Half foam seal



IS:9473

 CM/L-0007143057

VENUS V-444+ | V-44+

Flat fold "C & V" style
 Protection: Solid Dust / Mist
 M.U.L: Upto 12 x OEL | M.U.L: Upto 4 x OEL



IS:9473

 CM/L-0007143057

VENUS V-410-V

Flat fold style
 Protection: Solid Dust / Mist
 M.U.L: Upto 4 x OEL
 Exhalation Vent Valve



APPLICATION EXAMPLES

Chemical Automobile

Material handling, Material processing
 Painting, Powder coating, Welding,
 Maintenance work

Battery Pharmaceuticals Ceramics

Lead handling
 Bulk drugs, Material handling
 Material mixing

Metal Fabrication Agriculture Engineering

Soldering, Welding, Metal pouring, Smelting
 Pesticides, Insecticide spraying
 Welding, Sand blasting, Buffing, Powder coating

Effluent Treatment Plant

Painting, Cutting
 Maintenance

Ordering Information

Item #	Description	Colour	Elastic	Packing
19016	Venus V-90-V Class: FFP2 S - <i>Valved.</i>	YELLOW	SEWN	10 Pcs/pack
19017	Venus V-90-V Class: FFP2 S - <i>Valved.</i>	GREY	SEWN	10 Pcs/pack
14153	Venus V-410-V Class: FFP1 S - <i>Valved.</i>	YELLOW	STAPLED	20 Pcs/pack
14148	Venus V-410-V Class: FFP1 S - <i>Valved.</i>	GREY	STAPLED	20 Pcs/pack
14818	Venus V-444+ Class: FFP2 S - <i>Unvalved.</i>	WHITE	STAPLED	50 Pcs/bag
12071	Venus V-20-V Class: FFP2 S - <i>Valved.</i>	WHITE	SWEN	10 Pcs/pack
12072	Venus V-20-V Class: FFP2 S - <i>Valved.</i>	GREY	SWEN	10 Pcs/pack



Always follow the appropriate user and donning instructions for the specific model.

FITTING INSTRUCTION TO BE FOLLOWED EACH TIME RESPIRATOR IN USE

Before use check for visible damage, Damaged or dirty (on breathing side) particle filtering half mask should not be used.

- Cup the mask in hand
- With nose clip up, cover mouth & nose with mask
- Position elastic straps to back of head & neck
- Tighten the head and neck straps as necessary
- Press adjustable nose clip to prevent leakage
- To check fit, place both hands completely over the mask and inhale. if air leaks around nose, readjust the nose clip. if air leaks at the mask edges, work the straps back along th sides of your head. Repeat the procedure until respirator is sealed properly.


If you can not achieve a proper fit DO NOT enter the contaminate area. See your supervisor.

Features:



Compatible with other PPE

Non-interference with other PPE - Eye, Hearing & Head protection



Net Reinforced Shell

Well-integrated structure maintains the shape, disallowing collapse
Suitable for rough handling




Stay cool butterfly vent valve

Provides breathing comfort and promotes easy communication
Effectively removes heat build-up
Transparent vent valve



Elastic Sewn outside filter area

Sewn head strap provides better pull strength



Flat fold mask

Stylish universal design which gives better visibility to user
Easy to pocket store when not in use

Disposable Respirators

(FFM) – PREMIUM, ACE & UNIVERSAL SERIES



CE 0121
EN 149:2001+A1:2009



VENUS V-414 SLOV-V*

Flat fold style

Protection: Solid Dust / Mist / Nuisance level of Organic Vapour / Gases below > TLV | M.U.L.: Upto 12 X OEL

Exhalation vent valve | Activated Carbon layer



CE 0121
EN 149:2001+A1:2009



VENUS V-425 SLOV-V*

Flat fold style

Protection: Solid Dust / Mist / Nuisance level of Organic Vapour / Gases below > TLV | M.U.L.: Upto 12 X OEL

Exhalation vent valve

Activated Carbon & Flame retardant outer layer



CE 0121
EN 149:2001+A1:2009

VENUS V-420 SLV

Flat fold style

Protection: Solid Dust / Mist

M.U.L: Upto 12 x OEL

Exhalation Vent Valve



Colour



CE 0121
EN 149:2001+A1:2009

VENUS V-430 SLV

Flat fold style

Protection: Solid Dust / Oil Mist

M.U.L: Upto 50 x OEL

Inside Clip & Nose liner

Exhalation Vent Valve



Colour



VENUS CN95 OV* - TC-84A-5632

Convex cup seam style

Protection: Non oil based particles &

Nuisance level of Odour Activated Carbon layer



VENUS CN95+ - TC-84A-7516

Convex cup seam style

Protection: Non oil based particles

***Note:**
This respirator offers nuisance level relief from organic vapor / acid gas that are below OEL. Nuisance level refers to concentrations not exceeding OEL.



VENUS CVN95+ - TC-84A-7514

Convex cup seam style
Protection: Non oil based particles
Exhalation vent valve



CE 0121
EN 149:2001+A1:2009

VENUS V-230 SLV

Convex - Large Filter style
Protection: Solid Dust / Oil Mist
M.U.L.: Upto 50 X OEL
Exhalation vent valve

Ordering Information

Item #	Description	Colour	Elastic	Packing
14211	Venus V-414 SLOV-V* Class: FFP2 NR D - Valved.	GREEN	SEWN	15 Pcs/pack
14212	Venus V-425 SLOV-V Class: FFP2 NR D - Valved.	GREY	SEWN	15 Pcs/pack
14039	Venus V-420 SLV Class: FFP2 NR D - Valved.	WHITE	SEWN	15 Pcs/pack
14056	Venus V-430 SLV Class: FFP3 NR D - Valved.	GREY	SEWN	15 Pcs/pack
12128	Venus CN95OV Class: N95 - Unvalved.	GREY	SEWN	15 Pcs/pack
12260	Venus CN95+ Class: N95 - Unvalved.	WHITE	STAPLED RUBBER	20 Pcs/pack
12261	Venus CVN95+ Class: N95 - Valved.	WHITE	STAPLED RUBBER	15 Pcs/pack
12080	Venus V-230 SLV Class: FFP3 NR D - Valved.	WHITE	WELDED	5 Pcs/pack

Features:



Anti Clogging (NR D)

Having passed dolomite test, it resists clogging even in high dust environments



Absorbent carbon granules sandwiched Fabric layer

(RPD814P95 OA, RPD714N95 OAO)
For absorption of nuisance level of obnoxious odour and vapour



Stay cool butterfly vent valve

Provides breathing comfort and promotes easy communication
Effectively removes heat build-up
Transparent vent valve



Activated carbon

For absorption of nuisance level of obnoxious odour and vapour



Outer flame retardant layer

Protects from welding sparks

Reusable Respirators

(HFM/FFM) - PREMIUM SERIES

Venus Half & Full Face Mask with V-7900 Dual filters

*Available in



VENUS V-900 HFM - Silicon / TPE

Compatible with Venus V-7900 dual gas filters



Twist N Click Fit

- S**
 - M**
 - L**
- Colour



VENUS V-999-MS FFM - Silicon / TPE

Compatible with Venus V-7900 dual gas filters

- M**
- Colour

*Available in Venus V-7900 Dual Gas filters



Venus V-7900 A1 E1



Venus V-7900 ABEK1 P3 R



Venus V-7900 FHP P3



Venus V-7900 FPC P3



Venus V-7900 FPC P3 OV

Ordering Information

Item #	Description	Colour	Packing
15146	Venus V-900 TPE - S	BLUE	1 Pcs/pack
15147	Venus V-900 TPE - M	GREY	1 Pcs/pack
15060	Venus V-900 Silicon - S	L. BLUE	1 Pcs/pack
15153	Venus V-900 Silicon - L	L. BLUE	1 Pcs/pack
13402	Venus V-999 Silicon - M	GREY	1 Pcs/pack

Item #	Description	Packing
17197	Venus V-7900 A1E1	2 Pair/box
17205	Venus V-7900 ABEK1 P3R	2 Pair/box
17202	Venus V-7900 FHP P3	2 Pair/box
17203	Venus V-7900 FPC P3	2 Pair/box
17199	Venus V-7900 FPC P3 OV	2 Pair/box

Features:



Drop down

Easy to put on and remove while use



Head cradle

Lock down mechanism provides optimum fit & good comfort



Stay cool butterfly vent valve

Provides breathing comfort and promotes easy communication Effectively removes heat build-up



Light weight body

Made from soft thermoplastic elastomer, skin friendly
Low maintenance minimum hindrance in working



Threaded cartridge

Easy to fit and replace

Reusable Respirators

(HFM) - ACE SERIES

V-800 Half Face Mask with V-7800 Dual filters

CE 0121
EN 140:1998
Half Face Mask

CE 0121
EN 143
Particle Filter

CE 0121
EN 14387
Gas Filter



VENUS V-7800 A1 P2 R



VENUS V-800 HFM - TPE

Compatible with Venus V-7800 dual gas filters



VENUS V-7800 A2 P3 R



VENUS V-7800 P3 R Hepa



*Available Size:



VENUS V-7800 ABEK1 Hg P3 R



VENUS V-7800 P3 R Pancake



VENUS V-7800 P3 R OV Pancake

Ordering Information

Item #	Description	Colour	Packing
15076	Venus V-800 TPE - S	BLUE	1 Pcs/pack
15025	Venus V-800 TPE - M	GREY	1 Pcs/pack

Item #	Description	Packing
17087	Venus V-7800 A1 P2 R	2 Pair/pack
17230	Venus V-7800 A2 P3R	2 Pair/pack
17229	Venus V-7800 ABEK1 Hg P3 R	2 Pair/pack
17026	Venus V-7800 P3 R Hepa	2 Pair/pack
17129	Venus V-7800 P3 R Pancake	2 Pair/pack
17178	Venus V-7800 P3 R OV Pancake	2 Pair/pack




Adjustable penta belt

Gives head support and even distribution of weight
Good skin comfort in tough conditions
Provides leakproof fit




Speech Diaphragm

For easy and audible communication



Zero power toric visor for wide vision

PC lens impact resistant for face protection
High clarity, durability and double anti-fog



Neck straps

Adjustable for better handling



Standard Thread

RD40 Thread for connection to any standard thread, gas filter as per IS 14138 (Part1):1994

Reusable Respirators

(HFM/FFM) - UNIVERSAL SERIES

Venus Half & Full Face Mask with V-7500 filter



*Available in



S
M
L
Colour



VENUS V-500 HFM - TPE

Compatible with Venus V-7500 Single gas filters



VENUS V-997-MS FFM - Silicon / TPE

Compatible with Venus V-7700 Single gas filters



VENUS V-7500 B1



VENUS V-7500 K1



VENUS V-7500 ABEK1



VENUS V-7500 P1 S
with RETAINER

Ordering Information

Item #	Description	Colour	Packing
15161	Venus V-500 TPE - S	BLUE	1 Pcs/pack
15153	Venus V-500 TPE - M	GREY	1 Pcs/pack
180529301	Venus V-997 TPE - M	GREY	1 Pcs/pack

Item #	Description	Packing
010727801	Venus V-7500 A1 P1 S	1 Pair/box
17027	Venus V-7500 ABEK1	1 Pair/box
17014	Venus V-7700 A2	1 Pair/box
17144	Venus V-7700 A2 P3	1 Pair/box
17143	Venus V-7700 ABEK2 P3	1 Pair/box



Adjustable penta belt

Gives head support and even distribution of weight
Good skin comfort in tough conditions
Provides leakproof fit




Speech Diaphragm

For easy and audible communication



Zero power toric visor for wide vision

PC lens impact resistant for face protection
High clarity, durability and double anti-fog



Neck straps

Adjustable for better handling



Standard Thread

RD40 Thread for connection to any standard thread, gas filter as per IS 14138 (Part1):1994

A time-tested powered respiratory system. with easily replaceable filter.

Venus Tecmen PAPR

Features:

VENUS FreFlow V1 Intelligent Air Supply

- Consist of Unit, Auto Darkening hood, Hose, Charger
- Auto-alarm System
- Real-time Display Indicator
- Filter Efficiency >99.97%

Item # 13334



 121

EN 12941:1998 +A2 : 2008



VENUS FreFlow Intelligent Air Supply

- Consist with Unit, Hose, Tyvek Hood, Charger
- Auto-alarm System
- Real-time Display Indicator
- Filter Efficiency >99.97%

Item # 110351001

Spares for PAPR



Battery
Item # 73432



Particle Filter
Item # 73431



Hose Pipe
Item # 73434



Charger
Item # 73433

Venus CleanAIR PAPR

– Advanced Chemical 2F PAPR

Advanced model with IP 65 rating, accepts standard Din thread filters



 1024

Features:

Venus Chemical 2F

Complete sets

- CleanAIR® Chemical 2F including accessories (de-contaminable belt, charger, battery, flow indicator, Carrying bag) **Item # 13214**
- CleanAIR® Chemical 2F including accessories (comfort belt, charger, battery, flow indicator, Carrying bag) **Item # 13400**
- CleanAIR® Chemical 2F ATEX approved including accessories (comfort belt, charger, battery, flow indicator, Carrying bag) With **Item #13362**

Technical specification	VENUS CleanAIR 2F
Air flow :	adjustable 120–235 lpm
Operation time :	Up to 10 hours with Standard battery Up to 16 hours with Heavy Duty battery
Charging time :	3 hours
Weight :	960 g (including Standard battery)
Decibel :	Max. 62 dB
Dimensions :	240mm / 110 mm / 120 mm
Battery Standard :	Li-Ion 14,4 V / 2,6 Ah
Battery Heavy Duty :	Li-Ion 14,4 V / 5,2 Ah
Certification :	EN 12941 Th3, EN 12942 TM3

Venus Trolley Mounted Breathing Apparatus - (BA)



Ordering Information

Venus BA Unit - MS Trolley

SABA set with CC - 2 Cylinders	Item # 13475
SABA set with SS - 2 Cylinders	Item # 010348401
SABA set with CC- 4 Cylinders	Item # 010349101
SABA set with SS - 4 Steel Cylinders	Item # 110349401

Venus BA Unit - SS Trolley

SABA set with CC - 2 Cylinders	Item # 110349701
SABA set with CC - 4 Cylinders	Item # 110349801
SABA set with CC - 2 Cylinders	Item # 110349901
SABA set with CC - 4 Steel Cylinders	Item # 110350001

Specifications

1.	Frame	:	Mild steel/Stainless steel
2.	Hose Reel	:	Mild steel
3.	Wheels	:	caster wheels with polyurethane covering
4.	Couplings Male	:	Stainless steel
5.	Couplings Female	:	Nickel plated brass with stainless steel locking balls
6.	Storage box	:	Mild steel
7.	Manifold	:	Stainless steel
8.	Pressure Reducing Valve	:	Stainless steel
9.	Full face mask	:	Bromobutyl material
10.	HP Pressure Gauge	:	Stainless Steel, Polycarbonate Lens
11.	MP Air Supply Hose	:	PVC
12.	HP Air Hose	:	PTCFE liner, stainless steel braiding, Estane sleeve
13.	Cylinder	:	Carbon composite/Steel cylinder
14.	Whistle	:	Stainless Steel
15.	Demand Valve	:	ABS material

Venus SCBA (Self Contained Breathing Apparatus)

Emergency rescue / respond device
Backplate, Pressure Gauge, Full face mask & Cylinder

IS 10245 (Part 2)



CM/L-0002809666

Features:

Height Adjustable Backplate design which is robust & easy to use

- Polyamide material for good Low / high temperature, chemical resistance, Flame / radiant heat resistance
- Ergonomically designed to suit shape of human back
- Height adjustable clip to suit profile of different users
- High mobility 3 axis rotating fixture which is designed to disperse the weight of the cylinder efficiently
- Pressure reducer valve is fixed on the backplate by wire dowels.

Analogue gauge

- Anti-collision, explosion proof & water-proof design
- Fluorescent display for reading in darkness
- Rubber cover provided dustproof, Water proof.

Y Hose Quick release coupling (QRC) connection

- Provides auxiliary air to two users in life saving situations.

Demand Valve

- Connection to breathing apparatus is capable of 360 degree rotation
- Easy access button for increase the flow air
- Ensure large flow and safe air supply by using manual for air flux button
- Flame retardant casing made using high strength engineered plastics

Y Hose Quick release coupling (QRC) connection

- Provides auxiliary air to two users in life saving situations.

Face mask V-779 / V-777

- Neoprene Rubber harness tested upto 900° C.
- Visor is made of Polycarbonate Hard coat & has Anti fog capability
- Impact resistance, Heat & flame resistant.
- Meets class 2 requirements of multi flame burner test.

Ordering Information

Venus SCBA Type 1

SCBA 108 - 6AC	Item # 13435
SCBA 108 - 6AS	Item # 13436
SCBA 108 - 6AC	Item # 110350701
SCBA 108 - 9AC	Item # 110350801

Type1, Backplate V08 design, V-666 FFM,
Analogue gauge, CC cylinder or Steel cylinder



Spares for SCBA



Backplate
Item # 13264



PET Cylinder
Item # 13409



V-777 FFM
Item # 13266



V-779 FFM
Item # 180529301



CCOE-6.8 Ltr. Cylinder
with without Gauge Valve
Item # 13208



ABS carrying case
Item # 73187



EAR MUFFS

Quality mark for assurance of product performance



VENUS N-555

NRR 23 dB | SNR 26 dB



Colour



VENUS N-556 For Helmet

NRR 23 dB | SNR 26 dB



Colour



VENUS N-550

NRR 29 dB | SNR 32 dB



Colour



VENUS N-530

NRR 23 dB | SNR 26 dB



Colour



VENUS N-510

NRR 24 dB | SNR 27 dB



Colour

Ordering Information


Item #	Description	Colour	Packing
16082	Venus N-555	RED	20 Pcs/Ctn.
16083	Venus N-555	YELLOW	20 Pcs/Ctn.
16084	Venus N-555	GREEN	20 Pcs/Ctn.
16058	Venus N-555	BLACK	20 Pcs/Ctn.
16085	Venus N-555	BLUE	20 Pcs/Ctn.
16086	Venus N-555	VIOLET B.	20 Pcs/Ctn.

Item #	Description	Colour	Packing
16068	Venus N-556	BLACK	20 Pcs/Ctn.
16015	Venus N-550	BLACK	15 Pcs/Ctn.
16034	Venus N-530	FLUORESCENT GREEN	15 Pcs/Ctn.
16014	Venus N-510	RED	15 Pcs/Ctn.

Features:



Wide ear cushions with height adjustment
To achieve superior fit



One size fits all
No need to stock different size
Lowers inventory



Light weight
Easy to use for longer duration without hindrance



Cushioned headband
Comfort during long working hours



Compactable (Only N-555)
Can be easily compacted when not in use and store in small space

Hearing Protection

(NPD) - ACE & UNIVERSAL SERIES




REUSABLE & DISPOSABLE EAR PLUGS



VENUS N-303

NRR 27 dB | Reusable



VENUS N-101


NRR 32 dB | Disposable

Ordering Information

Item #	Description	Colour	Cord	Packing
16035	Venus N-303	ORANGE	Zebra Textile	150 pcs/pack
16036	Venus N-303	ORANGE	Zebra Textile - Container	100 Pcs/pack
16011	Venus N-101	ORANGE	Orange Textile Corded	150 Pcs/pack
16017	Venus N-101	ORANGE	Uncorded	250 Pcs/pack
16039	Venus N-101	ORANGE	Black Colour PVC Corded	100 pcs/pack

Identify the environment

Standard Decibel levels



Features:



Washable TPE material

Easy to wash and re-use without compromising on hygiene
Environment friendly



Pharma variant with PVC cord

Easily detectable by metal detector



High Attenuation

Slow expansion to perfectly fit the ear canal size & form
Minimizes noise disturbance immediately



Soft Polyurethane foam

Ultimate comfort fit allows easy use for long duration without discomfort
wearer friendly optimum recovery



Textile cord

Reduces transmission of sound
Skin friendly

PROTECTIVE EYEWEARS

Protection for use with perception spectacles
One size fits all



ANSI Z87.1 : 2003



VENUS E-306

Type: CHC-AF / CHC
Protective Spectacle



VENUS E-305

Type: CHC-AF / CHC
Protective Spectacle



VENUS E-102

Type: CHC-AF / CHC
Protective Spectacle



VENUS E-101

Type: CHC
Protective Spectacle



VENUS E-503

Type: CHC-AF
Safety Goggle



VENUS E-603

Type: CHC-AF / CHC
Over Spectacle


Ordering Information

Item #	Description	Colour	Packing
11003	Venus E-503	CLEAR	15 Pcs/pack
11004	Venus E-603	CLEAR	10 Pcs/pack
11025	Venus E-101	CLEAR	10 Pcs/pack
11017	Venus E-306	RED	12 Pcs/pack
11014	Venus E-305	GREEN	12 Pcs/pack
11027	Venus E-102	BLUE	20 Pcs/pack



Anti Fog
Prevent to condensation of moisture.

Optical Radiation - Sources



Features:



Head band

Textile headband for user comfort
Side hook & back adjustment available




Style

4 indirect ventilation ports for enhanced splash protection & to prevent fogging (E-503)
Over the glass compatibility
Quality mark for assured performance



Temple

Polycarbonate temples with side shield & vent
PC temple with soft tips prevents slippage (E-305)
Coloured temple allows easy identification
Wide area for side protection (E-102)



Nose bridge

One piece in integrated design, no lose parts
Clear nose bridge integrated with frame gives comfortable nose fit



Lens

Anti-Fog hard coated lens designed to be abrasion resistant & provide good visibility
Provides good impact & UV protection

Head Protection

(HPD) - PREMIUM SERIES



INDUSTRIAL SAFETY HELMETS

Protection against electrical hazards, Class E Hard hats rated for 20000 Volts

VENUS H-6000 Series

Ventilated & Non-Ventilated - Full Brim

ANSI	CE	Suspension	Adjustment
Certified Type I	Certified	4-point, textile	"Fit-Lock" Ratchet



HELMET Shell Color	VENUS HP-6000 Series Shell (ITEM CODE)	
	Ventilated	Non-Ventilated
	H-6010 Textile Ratchet	H-6010 Textile Ratchet
White	18556HTR	18562HTR
Yellow	18557HTR	18563HTR
Blue	18558HTR	18564HTR
Green	18559HTR	18565HTR
Orange	18560HTR	18566HTR
Red	18561HTR	18567HTR
N. Blue	110865801HTR	11086620HTR
Black	11086590HTR	110866301HTR
Brown	110866001HTR	110866401HTR
Grey	110866101HTR	110866501HTR

Packing : 20 Pcs/Ctn.

VENUS H-3000 Series (Dome)

Non-Ventilated

ANSI	CE	Suspension	Adjustment
Certified Type I	Certified	4-point, textile	"Fit-Lock" Ratchet



HIGH HEAT APPLICATION



HELMET Shell Color	VENUS H-3000 Series Shell (ITEM CODE)	
	Non-Ventilated	
	V-3010 Textile Ratchet	
White	18550PATR	
Yellow	18551PATR	
Blue	18552PATR	
Green	18553PATR	
Orange	18554PATR	
Red	18555PATR	

Packing : 20 Pcs/Ctn.

VENUS H-2000 Series

Ventilated & Non-Ventilated - Half Brim

ANSI	CE	Suspension	Adjustment
Certified Type I	Certified	4-point, textile	"Fit-Lock" Ratchet



HELMET Shell Color	VENUS H-2000 Series Shell (ITEM CODE)	
	Ventilated	Non-Ventilated
	V-2010 Textile Ratchet	V-2010 Textile Ratchet
White	18538HTR	18544HTR
Yellow	18539HTR	18545HTR
Blue	18540HTR	18546HTR
Green	18541HTR	18547HTR
Orange	18542HTR	18548HTR
Red	18543HTR	18549HTR
N. Blue	110865001HTR	110865401HTR
Black	110865101HTR	110865501HTR
Brown	110865201HTR	110865601HTR
Grey	110865301HTR	110865701HTR


Packing : 20 Pcs/Ctn.

Features:



Material

Sleek, attractive & lightweight design high density polyethylene shell



Custom Logo

Large printing surfaces for great custom logo's on front & back



Electrical Hazards

Provide protection against electrical hazards up to 20000 volts (Class E Nonvent Only)



Ratchet

Comfortable exclusive "Fit-Lock" ratchet adjustment suspensions



Accessory

Accessory Slots & Chin Strap attachments

SORBENTS

For the control and cleanup of Oils, Industrial Liquids and Chemicals in their workplace

Spill protection textile products from recycled materials for making your workplace safe & clean

Absorption capacity

- Large surface area, less material required.
- Absorbs large quantities of spilled fluids
- 1 kg of absorbent is approximately equal to 6 kg saw dust.

Stays afloat in marine application

- Does not sink after absorbing the spilt oil
- Can be cleaned easily

User friendly

- Can be easily placed around a liquid spill to block it from spreading
- Absorbs leaks in tight places
- Lightweight mobile and easy to use
- Environment friendly, reusable

Varieties

- Hazmat Chemical
- Universal-Maintenance
- Oil only-EcoPlus



V-SORB SOCKS

Item #	Colour	Description
18116	BLUE	Hazmat Chemical
18103	GREY	Universal Maintenance
18115	WHITE	Oil only-EcoPlus
Box of 3 nos, each of 8'		
180864801	WHITE	Oil 110cm X 7.6cm
180864901	WHITE	Oil 300cm X 3"

- Socks are flexible tubes to absorb liquids.
- Mould as per requirements to cover corners or uneven surfaces.
- Wringable & can be incinerated.
- Strong wicking action, absorption begins instantly, prevents liquids from escaping to other areas



V-SORB PILLOWS

Item #	Colour	Description
18119	H BLUE	Hazmat Chemical
18101	GREY	Universal Maintenance
18117	WHITE	Oil only-EcoPlus
Box of 5 nos, each of 400*500mm		

- Pillows are ideal to use under spill pallets or machines.
- Easy to retrieve and can soak liquids in hard to reach areas including swamps, basins, tanks, reservoirs.



V-SORB PAD

Item #	Colour	Description
18107	PINK	Hazmat Chemical
Box of 50 nos, each of 400*400mm		
Box of 1 roll, each of 15m*400mm		

- Pre cut pads ideal for small leaks & drips.
- Multipurpose can be also used as industrial wipe



V-SORB Eco KIT 50

Absorption Capacity - 20 L

Item #	180872701	Quantity
Contents		
Drum small capacity 50 L		1 No.
Pad Universal		24 Nos.
Boom Universal		3 Nos.
Pillows Universal		3 Nos.
Nitrile Gloves Size: L		1 Pair
Disposable Bag		3 Nos.



V-SORB KIT 120

Absorption Capacity - 75 L

Item #	18100	Quantity
Contents		
Wheeled Trolley Drum 120 L		1 No.
Pad Universal		24 Nos.
Boom Universal		5 Nos.
Pillows Universal		5 Nos.
Multipurpose Gas Mask		1 Set
V-800 + V-7800 ABEK1P3R		
Splash Goggle - G-501		1 No.
Nitrile Gloves Size: L		1 Pair
Chemical Gum Boots Size: 8		1 Pair
Barricade Tape		1 Roll
Disposable Bag		3 Nos.



V-SORB KIT 50

Absorption Capacity - 20 L

Item #	18126	Quantity
Contents		
Drum small capacity 50 L		1 No.
Pad Universal		12 Nos.
Boom Universal		3 Nos.
Pillows Universal		3 Nos.
Nitrile Gloves Size: L		1 Pair
Disposable Bag		3 Nos.



High Protection | Best Comfort | Great Value |

MFG. BY:

- **Venus Safety & Health Pvt. Ltd.**
T-15, Khairane-Budruk, MIDC-Taloja, Dist-Raigad,
Maharashtra 410208, India. (Unit-K)
- **Customer Care No. For Query / Feedback :**
1800 26 72346.

E-mail : info@venusohs.com
Website : www.venusohs.com

MKT. BY:

- **Venus Safety & Health Pvt. Ltd.**
L-75 / 76, Tondre, MIDC-Taloja, Dist-Raigad, Maharashtra 410208, India. (Unit-A)
- **Venus Safety & Health MENA (FZE)**
P.B. No. 52093, Sharjah, United Arab Emirates.
E-mail: mena@venusohs.com

VENUS
@Doorstep



SCAN TO ORDER NOW

Visit our website www.venusohs.com
to check the complete range and also
shop for our products.