

High Protection | Best Comfort | Great Value |



www.venusohs.com

Wherever you are...

ABOUT US

VENUS Safety & Health Pvt. Ltd. is a global quality manufacturer of Personal Protective Equipment (PPE) and filtration product

Venus has grown manifold in volume and revenues since its inception in year 1986.

A continuous urge to improve the performance of existing products and the development of new products is a driving force for our experienced team of professionals. The combination of various distinctive attributes of Venus has helped it to stay ahead in the competitive industry and provide 100% Made in India quality products to the people of the nation. We are the manufacturer of Personal Protective Equipment (PPE) and many other health and safety products.

We have 3 manufacturing facilities in India with a workforce of 2000+, which enables us to provide the best quality products to India with a QMS certification of ISO 9001:2015 & ISO 13485:2016. We have 13+ ISI licensed certified products, 50+ CE products, and 25+ NIOSH products. Venus has been exporting for the last 25 years to 35+ countries and has sales reps in the USA, EU, and the UAE.

We primarily operate in 3 Division:

Industrial Safety (IS) Division

For over 30 years, we have been a specialist in industrial PPE, Body protection with over 150 channel partners across India, mainly with large customer segments viz. Railways, Cement, Agro, Ceramics, Construction, Tyre manufacturing, Food & Beverages, Heavy Engineering, Mining, Pharmaceuticals, etc.

Medical and Health Division


Supplier of N95 respirators for the State Government Medical Services during the COVID-19 pandemic and GOI. We have established a network of 100+ distributors across PAN India and launched the New Venus PAPR, which will be the first ISI-approved PAPR manufactured in India for surgeon. Moreover we have launched our new range of surgical drapes and gowns:

▲ Air Filtration Division

Venus started manufacturing of Filters for HVAC systems in 2023 and has a variety of products to offer. These filters are being used by customers in applications like Surface finishing technology, Clean rooms, Turbo machinery, Nuclear application, Precision manufacturing etc.



PRODUCT RANGE











High protection & Best comfort.

- Full foam seal for leak-proof comfortable fit
- Adjustable nose clip to provides leak-proof fit
- Variety of strap types and attachments
- *Available with Carbon filter mask for nuisance level organic vapor relief.





VENUS RPD914P100-TC-84A-7887

Convex Mesh - Large filter style
Protection: Oil based particles
M.U.L: Upto 30 x OEL
Net reinforced shell | Full foam seal



VENUS V-2735 SLOV-V*

Convex - Large filter style Protection: Solid Dust / Oil Mist / Nuisance level of odour M.U.L: Upto 30 x OEL

Activated Carbon layer | Flame retardant outer layer

*Note:

This respirator offers nuisance level relief from organic vapor / acid gas that are below OEL. Nuisance level refers to concentrations not exceeding OEL.

Ordering Information

Item #	Description	Colour	Elastic	Packing
150264701	Venus RPD914P100 Class: P100 - Valved.	WHITE	WELDED	5 Pcs/pack
150265601	Venus V-2735 SLOV-V Class: FFP3 NR D - Valved.	GREY	WELDED	5 Pcs/pack

APPLICATION EXAMPLES

Chemical Automobile

Ceramics

Material handling, Material processing Painting, Powder coating, Welding, Maintenance work

Battery Lead handling
Pharmaceuticals Bulk drugs, Ma

Bulk drugs, Material handling Material mixing

Metal Fabrication Agriculture Engineering

Effluent Treatment

Soldering, Welding, Metal pouring, Smelting Pesticides, Insecticide spraying

Welding, Sand blasting, Buffing, Powder coating Painting, Cutting Maintenance



Multilingual User instructions

For easy acceptance by different wearers

Always follow the appropriate user and donning instructions for the specific model.

FITTING INSTRUCTION TO BE FOLLOWED EACH TIME RESPIRATOR IN USE

Before use check for visible damage, Damaged or dirty (on breathing side) particle filtering half mask should not be used.

- · Cup the mask in hand
- With nose clip up, cover mouth & nose with mask
- · Position elastic straps to back of head & neck
- Tighten the head and neck straps as necessary
- Press adjustable nose clip to prevent leakage
- To check fit, place both hands completely over the mask and inhale. if air leaks around nose, readjust the nose clip. if air leaks at the mask edges, work the straps back along th sides of your head. Repeat the procedure until respirator is sealed properly.

If you can not achieve a proper fit DO NOT enter the contaminate area. See your supervisor.

Features:



Anti Clogging (NR D)

Having passed dolomite test, it resists clogging even in high dust environments



Net Reinforced Shell

Well-integrated structure maintains the shape, disallowing collapse Suitable for rough handling



Stay cool butterfly vent valve

Provides breathing comfort and promotes easy communication Effectively removes heat build-up Transparent vent valve



Activated carbon

For absorption of nuisance level of obnoxious odour and vapour



Outer flame retardant layer welding sparks



NIOSH





VENUS V-4400 N95-TC-84A-8126

Flat fold style Protection: Non oil based particles



Flat fold style

Protection: Non oil based particles

Note: Fluid resistance conforms to ASTM F1862 at 120mmHg.







VENUS V-4200 N95-TC-84A-8112

Flat fold - Large filter style Protection: Non oil based particles Exhalation vent valve



VENUS CN95 OV-TC-84A-5632

Convex cup seam style
Protection: Non oil based particles &
Nuisance level of Odour Activated Carbon layer

*Note:


This respirator offers nuisance level relief from organic vapor / acid gas that are below OEL. Nuisance level refers to concentrations not exceeding OEL.

Features:



Flat fold mask

Stylish universal design which gives better visibility to user Easy to pocket store when not in use



Welded head strap

Provides leakproof and optimum comfort



Stay cool butterfly vent valve

Provides breathing comfort and promotes easy communication Effectively removes heat build-up Transparent vent valve



Elastic Sewn outside filter area

Sewn head strap provides better pull strength



Superior technology micro-fine filter media

Mede from special engineered fabrics which are extremely easy to breathe but also provide higher protection up to



NIOSH





VENUS RPD513N95-TC-84A-7872

Convex double shell style Protection: Non oil based particles Nose liner


VENUS RPD514N95-TC-84A-7873

Convex double shell style Protection: Non oil based particles Nose liner

Ordering Information

Item #	Description	Colour	Elastic	Packing
150407501	Venus V-4400 N95 Class: N95 - Unvalved.	WHITE	WELDED	25 Pcs/pack
150405001	Venus V-4400 SN95 Class: Surgical N95 - Unvalved.	WHITE	WELDED	25 Pcs/pack
150407401	Venus V-4200 N95 Class: N95 - Valved.	WHITE	WELDED	10 Pcs/pack
150265501	Venus CN95OV Class: N95 - Unvalved.	GREY	SEWN	15 Pcs/pack
150264501	Venus RPD513N95 Class: N95 - Unvalved.	WHITE	WELDED	20 Pcs/pack
150264401	Venus RPD514N95 Class: N95 - Unvalved.	WHITE	WELDED	10 Pcs/pack

Composite multilayer media



Protects from respirable suspended particulate matter

Composite of multiple layers pre-filter, fine filter and skin comfort layer

StayCool Butterfly Vent Valve









- 64
-

VENUS | 8

NOTES



Reusable Half & Full Face Mask with Dual filters













Compatible with Venus V-7900 dual gas filters

*Available in Venus V-7900 Dual Gas filters Venus V-7900 A1 Venus V-7900 FHP P3

Ordering Information

Item #	Description	Colour	Packing
150536901	Venus V-900 TPE - S	GREY	1 Pcs/pack
150536801	Venus V-900 TPE - M	GREY	1 Pcs/pack
150537501	Venus V-900 Silicon - M	GREY	1 Pcs/pack

Item #	Description	Packing
150723001 150737101	Venus V-7900 A1 Venus V-7900 FHP P3	2 Pair/box 2 Pair/box
New! 110530101	Venus V-900 Silicon + V-7900 MGC P100 COMBO - TC-84A-9657	1 Pair/box

Venus V-7900 MGC P100

Features:



Drop downEasy to put on and remove while use



Head cradle
Lock down mechanism
provides optimum fit
& good comfort



G

Colour

Stay cool butterfly vent valve Provides breathing comfort

Provides breathing comfort and promotes easy communication Effectively removes heat build-up



Light weight body

Made from soft touch material, skin friendly Low maintenance minimum hindrance in working



Twist & Click Fit cartridge
Easy to fit and replace

REUSABLE & DISPOSABLE EAR PLUGES

ANSI S3:19.1974

Quality mark for assurance of product performance






Ordering Information

Item #	Description	Colour	Cord	Packing
150616401	Venus N-303	ORANGE	Zebra Textile - Container	100 Pcs/pack
150616201	Venus N-101	ORANGE	Uncorded	200 Pcs/pack

Identify the environment



Features:



Washable TPE material

Easy to wash and re-use without compromising on hygiene **Environment friendly**



Pharma varient with **PVC** cord

Easily detectable by metal detector



High Attenuation

Slow expansion to perfectly fit the ear canal size & form Minimizes noise disturbance immediately



Soft Polyurethane foam

Ultimate comfort fit allows easy use for long duration without discomfort wearer friendly optimum recovery



Threshold

Textile cord

VENUS | 11

SAFETY EYEWEARS

Protection against high import particles with features like Anti scratch / Anti-fog





VENUS E-101

Type: CHC / GHC Protective Spectacle







Features:



Polycarbonate temples with side shield & vent easy identification



Nose bridge

One piece in integrated design, no lose parts Clear nose bridge integrated with frame gives comfortable nose fit



Lens


designed to be abrasion resistant & provide good visibility Provides good impact & **UV** protection




Ordering Information

Item #	Description	Colour	Packing
51063 150114701	Venus E-101 Venus E-101	CLEAR BLACK-GHC	10 Pcs/pack 12 Pcs/pack
51065 51066 51067 150114601 150116201	Venus E-102 Venus E-102 Venus E-102 Venus E-102 Venus E-102	GREEN-AF YELLOW-AMBER GREY CLEAR BLACK-GHC	12 Pcs/pack 20 Pcs/pack 20 Pcs/pack 20 Pcs/pack 12 Pcs/pack
501059801 50109901 50110001 50110101 50110201 50110301	Venus E-305 Venus E-305 Venus E-305 Venus E-305 Venus E-305 Venus E-305	RED-GHC YELLOW-GHC GREEN-GHC BLACK-GHC BLUE-GHC VIOLET-BLUE	12 Pcs/pack 12 Pcs/pack 12 Pcs/pack 12 Pcs/pack 12 Pcs/pack 12 Pcs/pack
50110401 50110501 50110601 50110701 50110801 50110901 50110401	Venus E-306 Venus E-306 Venus E-306 Venus E-306 Venus E-306 Venus E-306 Venus E-306	RED-GHC YELLOW-GHC GREEN-GHC BLACK-GHC BLUE-GHC VIOLET-BLUE BLACK-GHC- RED temple	12 Pcs/pack 12 Pcs/pack 12 Pcs/pack 12 Pcs/pack 12 Pcs/pack 12 Pcs/pack 12 Pcs/pack


Common Eye hazards?



Optical Radiation - Sources







Types of materials & Breakage test

Terms

Hard Coating for preventing scratches

It is applied to the exterior of the lens to minimize the likelihood of accidental scratching. This does not make the lens scratch proof, but helps in tremendously reducing file hair line scratches.

Anti Fo

Prevent to condensation of moisture.

Bridge

It is the part of a frame that connects the two lenses and goes over the nose. The bridge can be either decorative or simple.

Evam

It is the part of the holds the lens. Frame can be made of plastic or memory retention nylon.



INDUSTRIAL SAFETY HELMETS

Protection against falling debri, bumps and electrical hazards

This product meets **ANSI/ISEA Z89.1:2014** standard.

VENUS H-2000 Series

Ventilated & Non-Ventilated - Half Brim



HELMET Shell Color	VENUS H-2000 Series Shell (ITEM CODE)
	V-2010 Textile Ratchet
Color	Non-Ventilated
White	110892301
Yellow	110892201
Blue	110892101
-	Ventilated
White	110891701
Yellow	110891601
Blue	110891501

Suspension Adjustment

4-point, textile "Fit-Lock" Ratchet

Packing: 20 Pcs/Ctn.

VENUS H-4000 Series

Ventilated & Non-Ventilated - Half Brim



HELMET	VENUS HP-4000 Se	eries Shell (ITEM CODE)		
Shell Color	Non-Ventilated			
Coloi	H-4040 Textile Retchet	H-4041Textile Pinlock		
White	110803501	110888501		
Yellow	110803601	110888401		
Blue	110803701	110804501		
	Ventilated			
White	110801501	110802501		
Yellow	110801601	110802601		
Blue	110801701	110802701		

Packing: 20 Pcs/Ctn.

INDUSTRIAL SAFETY HELMETS

Protection against electrical hazards, Class E Hard hats rated for 20000 Volts

This product meets **ANSI/ISEA 289.1:2014** standard.

VENUS H-5000 Series

Ventilated & Non-Ventilated - Half peak



HELMET	VENUS HP-5000 Series Shell (ITEM CODE)
Shell	H-5010 Textile Retchet
Color	Non-Ventilated
White	110866701
Yellow	110868101
Blue	110868201
-	Ventilated
White	110866601
Yellow	110867201
Blue	110867301

Suspension

4-point, textile "Fit-Lock" Ratchet

Packing: 20 Pcs/Ctn.

Adjustment

VENUS H-7000 Series

Ventilated & Non-Ventilated - Full Brim



HELMET	VENUS HP-7000 Series Shell (ITEM CODE)
Shell Color	H-7010 Textile Retchet
Coloi	Non-Ventilated
White	110866901
Yellow	110869901
Blue	110870001
	Ventilated
White	110866801
Yellow	110869001
Blue	110869101

Suspension Adjustment

4-point, textile "Fit-Lock" Ratchet

Packing: 20 Pcs/Ctn.

Helmet Accessories



Earplug container only Item # 170887801



Pencil holder Item # 170877501



Head-lamp set
Item # 170879901



Mobile Holder set Item # 170887901

Features:



Material
Sleek, attractive &
lightweight design high
density polyethylene shell



Custom Logo
Large printing surfaces
for great custom
logo's on front & back



Electrical Hazards
Provide protection against
electrical hazards up
to 20000 volts
(Class E Nonvent Only)



Ratchet
Smooth Functioning
"Fit-Lock" ratchet
adjustment



Accessory Slot
Easy slot for a variety
of accessory to

